





ACCREDITATION CERTIFICATE

PT-001

Emirates International Accreditation Centre

has accredited

GLOBAL PROFICIENCY TESTING COMPANY (GPTC)

Office # 3100 | Schon Business Park (Plaza Central) | Dubai Investment Park-1

Dubai | United Arab Emirates

In accordance with the requirements of

ISO/IEC 17043:2010

Conformity assessment – General Requirements for Proficiency Testing

to undertake the tests in the attached accreditation scope

This Accreditation is invalid without the attached accreditation scope and shall remain in force within the validity

period printed below, subject to continuing compliance with the requirements of the accreditation criteria.

Validity: 02/02/2023 to 01/02/2026

Initial Accreditation Date: 02/02/2023

EXECUTIVE OFFICER APPROVAL



Accreditation Scope Proficiency Test Provider PT-001

Global Proficiency Testing Company

Office # 3100 | Schon Business Park (Plaza Central) | Dubai

Investment Park-1

Dubai | United Arab Emirates

Issue no.: 01

Date: 02-02-2023

Valid to: 01-02-2026

Scope	lssue	Details	Date
	No.		
Proficiency Test Provider- Testing	01	Granted accreditation	02-02-2023
Proficiency Test Provider- Calibration	01	Granted accreditation	02-02-2023



Accreditation Scope Proficiency Test Provider- Testing PT-001

Global Proficiency Testing Company

Office # 3100 | Schon Business Park (Plaza Central) | Dubai

Investment Park-1

Dubai | United Arab Emirates

Issue no.: 01

Date: 02-02-2023

Valid to: 01-02-2026

Discipline/ Sub-discipline	PT Items	Properties Measured/ Characteristic/ measurand/ Parameter
Water Chemistry (301-WCS)	Water	Sulphate, Chloride and pH Value
Water Microbiology (201-WMS)		Legionella, TBC, Coliform, Fecal coliforms, E. Coli, Fecal Streptococci, Clostridium perfringens, Pseudomonas aeruginosa
Construction Materials (501- CMS)	Water Proofing Membrane	Tensile, Elongation and Thickness



Accreditation Scope Proficiency Test Provider- Calibration PT-001

Global Proficiency Testing Company

Office # 3100 | Schon Business Park (Plaza Central) | Dubai

Investment Park-1

Dubai | United Arab Emirates

Issue no.: 01

Date: 02-02-2023

Valid to: 01-02-2026

Discipline/ Sub-discipline	PT Items	Properties Measured/ Characteristic/ measurand/ Parameter
	Precision Weights (1 mg - 50 kg)	Conventional Mass